Environment Publish



Environment=500mm

Environment Computation Specification				
Products Selected				
NSB0009 - BARREL CALORIMETER SERVICES - IN SECTOR 1 ON SIDE C(A)	NFX0006 - AR BARREL EXPANSION VESSEL - FOR STANDARD	178.7		
	NLE0002 - LE END-CAP CALORIMETER - SIDE A	309		
	AT602154MQ Sec4 - MUON BARREL CHAMBERS DETAILED - SECTOR 4	171.2		
	AT602159MQ - MUON BARREL CHAMBERS DETAILED - SECTOR 8	479.8		
	NMA0013 - SECTOR 06 SIDE C (A) - REFERENCE ALIGNMENT SYSTEM AND	491.6		
	NSE0001- FLEXIBLE SAFETY PIPE FOR - LAR END-CAP CALORIMETER	340		

Computation Result:




Minimum Distance Publish

Minimum Distance Computation Specification				
Products Selected				
NSB0009 - BARREL CALORIMETER SERVICES - IN SECTOR 1 ON SIDE C(A)	NSB_0001 - SOLENOID CHIMNEY FOR BARREL LAR - SIMPLIFIED 3D OBJECT – SIDE A			

Computation Result:

NSB_0009 NSB_0001	Clearance	11.96	Not inspected
-------------------	-----------	-------	---------------





Value: ~11.9 mm

SIDE A Sector 5